

Psychology/Psychiatry

Mindful Meditation

A Potential Effective Therapeutic in Clinical Practice

Kaley Cho*

University of Nebraska–Lincoln, 1400 R St, Lincoln, NE 68588, USA

*: All correspondence should be sent to: Dr. Kaley Cho

Author's Contact: Dr. Kaley Cho, Ph.D., M.Sc., E-mail: keleycho@aol.comDOI: <https://doi.org/10.15354/si.24.re1026>

Funding: No funding source declared.

COI: The author declares no competing interest.

AI Declaration: The author affirms that artificial intelligence did not contribute to the process of preparing the work.

Mindful meditation, a practice that entails directing one's attention to the current moment without forming judgments, has been acknowledged as a potentially efficacious therapeutic intervention in clinical settings. Evidence indicates that mindfulness-based interventions can effectively assist individuals in coping with a range of mental health conditions, including anxiety, depression, and stress. Through the cultivation of enhanced self-awareness and emotional control via mindfulness practices, individuals have the potential to experience a decrease in symptoms, an increase in well-being, and an overall improvement in their quality of life. Furthermore, practicing mindfulness meditation can result in alterations in the structure and functioning of the brain, which are linked to improved cognitive capacities and emotional regulation. Integrating mindful meditation into clinical practice can offer patients valuable strategies for dealing with difficult situations and enhancing their long-term mental well-being and resilient ability.

Keywords: Mindful Meditation; Clinical Effectiveness; Neuronal Mechanisms; Psychological Intervention; Practice

Science Insights, 2024 July 31; Vol. 45, No. 1, pp.1431-1437.

© 2024 Insights Publisher. All rights reserved.



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the [Creative Commons Attribution-NonCommercial 4.0 License](https://creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed by the Insights Publisher.

Introduction

MINDFUL meditation is gaining more attention as a potentially beneficial therapeutic technique in clinical practice. This method entails cultivating an elevated level of consciousness and embracing one's thoughts, emotions, and physical sensations in the current moment without passing any judgments. Through the practice of mindfulness, individuals can cultivate the ability to direct their attention to the

present moment, thereby diminishing excessive reflection on the past or excessive worry about the future (1). Studies indicate that practicing mindful meditation can be advantageous in the management of symptoms related to anxiety, depression, stress, chronic pain, and various other mental health conditions (2-4). Furthermore, mindfulness-based therapies have demonstrated encouraging outcomes in improving general well-being and quality of life (5, 6). Therefore, including mindful meditation in

clinical treatment can equip patients with valuable techniques for self-control and emotional strength. Due to its evidence-based benefits, it is a great tool for therapists to use while treating different psychiatric problems.

Defining Mindful Meditation

Mindful meditation is a technique that entails directing one's attention to the current moment, without making any evaluations or judgments. Mindfulness is a practice that promotes individuals to have complete awareness of their thoughts, emotions, and physical sensations in the current moment (7). Through the practice of mindfulness, individuals develop the ability to examine their thoughts and feelings without becoming emotionally tied to them or reacting impulsively (8). This facilitates enhanced self-awareness and a more profound comprehension of one's internal encounters.

An essential component of mindful meditation involves developing awareness (9), which refers to the capacity to attentively observe the current moment with a receptive and inquisitive mindset. This entails maintaining a state of complete mindfulness, free from any distractions caused by previous remorse or future anxieties. Through the practice of mindfulness, individuals can develop the ability to effectively and calmly respond to the problems that arise in life. Practicing mindful meditation can enhance individuals' capacity for empathy and compassion towards themselves and others (10).

In the contemporary period characterized by rapidity and tension, the practice of mindful meditation can serve as a beneficial instrument for diminishing stress and fostering holistic welfare. Studies have demonstrated that consistent engagement in mindful meditation can effectively enhance concentration (11), improve emotional control (12), and alleviate symptoms associated with anxiety and sadness (13). By engaging in deliberate mindfulness practices, individuals can develop a profound sense of tranquility and satisfaction by consciously slowing down, focusing on their breath, and totally immersing themselves in the present moment. In general, mindful meditation is a potent technique that can assist individuals in living more completely and really in the current moment.

The History and Origins of Mindful Meditation

The Vedas, an ancient Indian scripture dating back over 3,000 years, has one of the first documented references to meditation (14). These works depict meditation as a means to attain spiritual enlightenment and establish a connection with the divine. Early Hindu and Buddhist practitioners played a significant role in advancing and perfecting the practice of meditation (15). Their objective was to calm the mind and foster a more profound level of self-awareness.

Meditation holds a pivotal position in the journey towards enlightenment in Buddhism, as seen by the frequent portrayal of the Buddha engaged in profound meditation beneath the Bodhi tree. Mindfulness, defined as the act of attentively focusing on the current moment without forming judgments, is a fundamental element of Buddhist meditation techniques (2). Modern practitioners of mindful meditation have since absorbed and modified this focus on mindfulness.

The dissemination of Buddhism from India to other re-

gions of Asia facilitated the widespread adoption of meditation across a broader demographic, resulting in the emergence of various schools of thought that developed distinct methodologies and approaches to the practice (14). In China, Chan (Zen) Buddhism placed great emphasis on the practice of meditation to attain a state of "no-mind," in which the practitioner experiences a deep sense of unity with the cosmos (16).

The practice of mindful meditation started to acquire popularity in the Western world during the mid-20th century, largely due to the contributions of pioneers like Jon Kabat-Zinn. Kabat-Zinn, a medical professor at the University of Massachusetts Chan Medical School, created the Mindfulness-Based Stress Reduction (MBSR) program (17). This program integrates mindfulness meditation, yoga, and other relaxation methods to assist patients in managing chronic pain and illness.

Subsequently, mindful meditation has gained popularity among the general population, as multiple studies have indicated its significant advantages for both psychological and physiological well-being. Studies have demonstrated that consistent meditation practice can effectively alleviate symptoms of anxiety and depression, decrease levels of stress hormones in the body, enhance cognitive performance, and bolster the immune system (11-13).

Mindfulness meditation is currently extensively employed in therapeutic settings as a supplementary therapy for a range of diseases, including chronic pain, sleeplessness, eating disorders, and substance abuse. It is also widely favored by athletes, executives, and those seeking to enhance their performance, concentration, and general state of well-being.

As the practice of mindful meditation becomes increasingly popular and accepted in contemporary society, it is crucial to acknowledge and respect its ancient beginnings and deep spiritual foundations. By engaging with the extensive historical background and established customs of this enduring discipline, we can enhance our comprehension of its profound ability to bring about significant change and utilize its capacity to foster increased tranquility, mindfulness, and happiness in our daily existence.

Mechanisms of Mindful Meditation

Neurobiological Effects of Mindful Meditation

One of the most prominent neurobiological consequences of mindful meditation is the augmentation of gray matter density in the brain. Research has demonstrated that consistent meditation can result in a rise in the density of gray matter in specific regions of the brain that are accountable for memory, learning, and emotional regulation (18, 19). This can result in enhancements in cognitive performance and emotional well-being.

Another interesting finding of mindful meditation is the reduction in the size of the amygdala (20), which is the brain's center for fear. The amygdala plays a crucial role in the processing of emotions, particularly fear and anxiety (21). A smaller amygdala is linked to lower levels of stress and anxiety (22). Research has demonstrated that engaging in mindful meditation can result in a reduction in the size of the amygdala, which in turn leads to lower levels of stress and anxiety (23).

Furthermore, mindful meditation has been demonstrated

to enhance the functioning of the prefrontal cortex, a brain region involved for decision-making, attention, and self-awareness, in addition to altering gray matter density and amygdala size (24). The heightened activity in the prefrontal cortex can result in enhanced cognitive function, heightened concentration, and heightened self-awareness. Studies have shown that engaging in mindful meditation can lead to an augmentation in the thickness of the prefrontal cortex, which has been linked to higher cognitive function, improved emotional regulation, and superior self-control (25).

Practicing mindful meditation can enhance the synthesis of neurotransmitters like serotonin and dopamine, which have a significant impact on mood and emotions (26). Elevated levels of these neurotransmitters can result in enhanced mood, alleviated symptoms of despair and anxiety, and a general feeling of contentment. Studies have shown that mindful meditation can reduce the secretion of cortisol, which is the hormone associated with stress (27). Elevated cortisol levels can result in several detrimental health consequences, such as heightened blood pressure, weight gain, and compromised immune function. Mindful meditation can effectively lower cortisol levels, leading to a reduction in stress and an enhancement in general physical well-being. The augmentation in the synthesis of gamma-aminobutyric acid (GABA) is another contributor of mindful meditation (28). Elevated levels of GABA have been linked to decreased anxiety and enhanced emotional control.

In addition, functional MRI (fMRI) studies have shown that practicing mindful meditation enhances the connection across various brain regions, resulting in enhanced communication and cooperation between different sections of the brain (29, 30). The heightened level of interconnectivity has been linked to higher cognitive performance, increased creativity, and improved mental clarity.

Furthermore, mindful meditation has been discovered to improve immune system functionality, including alterations in brain structure and neurotransmitter levels (31). Research has demonstrated that consistent meditation can result in enhanced immune function, hence decreasing the likelihood of sickness and promoting better overall health.

Psychological Mechanisms at Play

Attention control is a fundamental psychological mechanism of mindful meditation. Through the practice of mindfulness, individuals can cultivate the ability to be fully present in the current moment and objectively observe their thoughts and emotions without any form of evaluation (32). This enables them to consciously shift their emphasis towards thoughts that are optimistic and productive. Improved attention regulation can effectively decrease rumination and negative thinking patterns, resulting in greater mental well-being.

Emotional control is another significant psychological mechanism associated with mindful meditation. By engaging in mindfulness, individuals can cultivate heightened emotional awareness and acquire the ability to manage their emotions with more efficacy (33, 34). Through the practice of non-reactivity, individuals can exercise agency in determining their responses to difficult circumstances with composure and self-control.

Mindful meditation facilitates self-awareness, enabling

individuals to develop a more profound comprehension of themselves and their cognitive processes. Through cultivating greater self-awareness, individuals can recognize and confront detrimental ideas and attitudes that may be exacerbating their mental health challenges (35). Enhanced self-awareness can result in heightened self-compassion and acceptance, ultimately enhancing mental well-being. Studies have demonstrated that mindful meditation can effectively alleviate stress and anxiety by triggering the body's relaxation response (36). Through the practice of mindfulness, individuals can reduce their cortisol levels, which is a stress hormone that can contribute to feelings of anxiety and being overwhelmed. This can aid individuals in experiencing a greater sense of tranquility, balance, and emotional regulation, resulting in decreased levels of stress and worry.

In addition, mindful meditation can enhance cognitive functioning by improving attention, memory, and decision-making abilities (37). By cultivating mindfulness and directing cognitive resources towards the current moment, individuals might enhance their capacity to maintain attention and sustain concentration on tasks. This can result in heightened efficiency, enhanced judgment, and enhanced cognitive abilities throughout different domains of life.

Another cognitive process of mindful meditation is the practice of accepting and refraining from making judgments (38). By engaging in mindfulness practice, individuals can develop the ability to acknowledge and embrace their thoughts and emotions without imposing any form of judgment or criticism upon them. This practice can facilitate the cultivation of a heightened sense of empathy and tolerance towards oneself and others, resulting in enhanced emotional welfare and more favorable interpersonal connections.

Mindful meditation enhances resilience and coping abilities by assisting individuals in developing a sense of inner fortitude and steadiness (39). Through the cultivation of a consistent mindfulness routine, individuals can establish a solid groundwork of self-awareness and emotional control, enabling them to effectively manage the difficulties of life with enhanced ease and elegance. The enhanced ability to recover from difficult situations might result in enhanced psychological well-being and mental health, even when faced with challenges.

Practicing mindful meditation also can augment emotional intelligence by enhancing individuals' capacity to identify and control their own emotions, as well as comprehend and empathize with the emotions of others (40). Through the practice of mindfulness, individuals can enhance their emotional awareness and empathy, leading to the development of improved interpersonal skills and more satisfying relationships.

Incorporating Mindful Meditation Techniques in Clinical Settings

Integrating Mindful Meditation into Therapy Sessions

During therapy sessions, the practice of mindful meditation can assist patients in developing a heightened sense of awareness regarding their thoughts, emotions, and bodily sensations (9). Through the practice of fostering this consciousness, individuals

can acquire the ability to identify and confront detrimental cognitive tendencies, manage challenging emotions, and cultivate more effective strategies for dealing with stress. Enhanced self-awareness can facilitate patients in cultivating a more profound comprehension of themselves and their actions, resulting in heightened self-compassion and personal development.

The practice of mindful meditation can assist patients in cultivating enhanced emotional regulation abilities (12). Through the practice of non-reactive observation of their thoughts and emotions, individuals can develop a state of tranquility and inner harmony, even when confronted with difficult circumstances. For individuals who have difficulty controlling impulsive behavior, anger, or emotional outbursts, practicing mindful meditation can be very advantageous. It can assist them in developing the ability to pause and react more deliberately to sources of stress.

Incorporating mindful meditation into treatment sessions might enhance patients' capacity to concentrate and maintain focus (11). Through the practice of mindfulness, individuals can develop the ability to calm their rapid thoughts and eliminate distractions, enabling them to fully focus and participate in the therapeutic process. Enhanced concentration can assist individuals in effectively assimilating and analyzing the knowledge and abilities acquired throughout therapy, resulting in more profound and enduring transformation.

Via acquiring the skill of enduring discomfort and uncertainty in the current moment, individuals can cultivate a higher capacity to withstand stress and hardship by practicing mindful meditation. This can assist patients in navigating challenging circumstances with greater poise and fortitude, ultimately resulting in enhanced mental health and well-being. In addition, mindful meditation can assist individuals in developing a heightened sense of appreciation and happiness in their life (41). Through cultivating an understanding and admiration for the current moment and the aesthetic qualities that encompass their environment, individuals can cultivate a heightened sense of satisfaction and gratification. Developing a heightened feeling of thankfulness can assist patients in redirecting their attention away from their difficulties and towards their benefits, resulting in a more optimistic perspective on life.

Overall, incorporating mindful meditation into treatment sessions can serve as a potent instrument for enhancing mental health and overall well-being. Through the practice of self-awareness, emotional regulation, attention, resilience, and thankfulness, individuals can acquire the necessary abilities to recover and progress. By engaging in consistent mindful meditation, individuals can acquire the ability to effectively handle the difficulties that arise in life and have an increased sense of tranquility and happiness in the current moment. Therapists have a vital role in assisting patients in incorporating mindful meditation into their life, providing support as they strive for improved well-being and contentment.

Adapting Mindful Meditation for Different Aged Populations

Mindful meditation can enhance children's focus, attention span, and emotional stability. By integrating enjoyable and engaging activities, like visualizations, breathing exercises, and mindful

movement, children can acquire the ability to soothe their thoughts, regulate their emotions, and cultivate an enhanced level of self-awareness (42). Guided meditations can also serve to acquaint youngsters with the practice in a manner that is captivating and suitable for their age.

Adolescents, who frequently encounter elevated levels of stress and anxiety, might also derive advantages from the practice of mindful meditation (43). By instructing adolescents in mindfulness practices, such as body scans, progressive muscle relaxation, and mindful journaling, they can acquire the skills to manage the challenges of adolescence, enhance their psychological well-being, and cultivate increased resilience. Teenagers can enrich their connections with others, improve their communication skills, and cultivate a greater sense of empathy and compassion via the practice of mindful meditation.

Elderly individuals can also derive advantages from engaging in mindful meditation, as it can enhance cognitive abilities, memory, and overall state of being (44, 45). Older individuals can alleviate emotions of loneliness, anxiety, and despair by implementing mindfulness techniques, such as loving-kindness meditation, body awareness, and gratitude exercises. Mindful meditation can additionally aid older people in preserving a feeling of purpose and significance in their lives, enhancing the quality of their sleep, and improving their general quality of life.

Adapting mindful meditation for various age demographics necessitates meticulous deliberation of the distinct requirements and capabilities of each group. When it comes to youngsters, it is important to provide activities that are captivating and include active participation. These activities should emphasize the use of visualizations, breathing exercises, and physical movement. Adolescents could derive advantages from acquiring mindfulness skills that aid them in managing stress and enhancing their mental well-being. Elderly individuals can derive advantages from engaging in activities that promote cognitive performance, memory retention, and emotional well-being.

Irrespective of one's age, the advantages of practicing mindful meditation are extensive and thoroughly researched. By modifying the technique to suit various age groups, people of all ages can enhance their concentration, attentiveness, emotional control, and stress alleviation. Engaging in mindful meditation can facilitate the cultivation of enhanced self-awareness, resilience, and compassion, resulting in an overall enhancement in well-being and quality of life.

Therefore, mindful meditation is a versatile practice that can be customized to accommodate the distinct requirements and capacities of various age groups. Individuals of all age groups can experience the physical, mental, and emotional advantages of mindfulness by applying practices specifically tailored for children, teenagers, and older adults. Mindful meditation has the potential to favorably benefit persons of all ages, whether it is by helping youngsters boost their focus and emotional regulation, assisting teenagers in coping with stress and anxiety, or enabling seniors to improve cognitive function and overall well-being. By integrating mindfulness techniques into their everyday routines, individuals can develop a heightened level of self-awareness, resilience, and compassion, resulting in enhanced overall well-being and quality of life.

Conclusion

The integration of mindful meditation into clinical practice has the potential to significantly improve therapeutic outcomes and promote holistic wellness. The benefits and applications of this practice are becoming increasingly apparent as we continue to

investigate them. Mindful Meditation has a valuable role to play in fostering mental health and resilience. Therapists and patients can both embark on a journey toward improved self-awareness, emotional regulation, and overall psychological well-being by adopting this mindfulness-based approach. ■

References

1. Wielgosz J, Goldberg SB, Kral TRA, Dunne JD, Davidson RJ. Mindfulness meditation and psychopathology. *Annu Rev Clin Psychol* 2019; 15:285-316. DOI: <https://doi.org/10.1146/annurev-clinpsy-021815-093423>
2. Hofmann SG, Gómez AF. Mindfulness-based interventions for anxiety and depression. *Psychiatr Clin North Am* 2017; 40(4):739-749. DOI: <https://doi.org/10.1016/j.psc.2017.08.008>
3. Zollars I, Poirier TI, Pailden J. Effects of mindfulness meditation on mindfulness, mental well-being, and perceived stress. *Curr Pharm Teach Learn* 2019; 11(10):1022-1028. DOI: <https://doi.org/10.1016/j.cptl.2019.06.005>
4. Brandel MG, Lin C, Hannel D, Khazen O, Pilitsis JG, Ben-Haim S. Mindfulness meditation in the treatment of chronic pain. *Neurosurg Clin N Am* 2022; 33(3):275-279. DOI: <https://doi.org/10.1016/j.nec.2022.02.005>
5. Bostock S, Crosswell AD, Prather AA, Steptoe A. Mindfulness on-the-go: Effects of a mindfulness meditation app on work stress and well-being. *J Occup Health Psychol* 2019; 24(1):127-138. DOI: <https://doi.org/10.1037/ocp0000118>
6. Rodrigues de Oliveira D, Wilson D, Palace-Berl F, de Mello Ponteciano B, Fungaro Rissatti L, Sardela de Miranda F, Piassa Pollizi V, Fuscella JC, Mourão Terzi A, Lepique AP, D'Almeida V, Demarzo M. Mindfulness meditation training effects on quality of life, immune function and glutathione metabolism in service healthy female teachers: A randomized pilot clinical trial. *Brain Behav Immun Health* 2021; 18:100372. DOI: <https://doi.org/10.1016/j.bbih.2021.100372>
7. Anālayo B. Adding historical depth to definitions of mindfulness. *Curr Opin Psychol* 2019; 28:11-14. DOI: <https://doi.org/10.1016/j.copsy.2018.09.013>
8. Liang P, Jiang H, Wang H, Tang J. Mindfulness and impulsive behavior: exploring the mediating roles of self-reflection and coping effectiveness among high-level athletes in Central China. *Front Psychol* 2024; 15:1304901. DOI: <https://doi.org/10.3389/fpsyg.2024.1304901>
9. Schuman-Olivier Z, Trombka M, Lovas DA, Brewer JA, Vago DR, Gawande R, Dunne JP, Lazar SW, Loucks EB, Fulwiler C. Mindfulness and behavior change. *Harv Rev Psychiatry* 2020; 28(6):371-394. DOI: <https://doi.org/10.1097/HRP.0000000000000277>
10. Centeno RPR. Effect of mindfulness on empathy and self-compassion: An adapted MBCT Program on Filipino college students. *Behav Sci (Basel)* 2020; 10(3):61. DOI: <https://doi.org/10.3390/bs10030061>
11. Norris CJ, Creem D, Hendler R, Kober H. Brief mindfulness meditation improves attention in novices: evidence from ERPs and moderation by neuroticism. *Front Hum Neurosci* 2018; 12:315. DOI: <https://doi.org/10.3389/fnhum.2018.00315>. Erratum in: *Front Hum Neurosci* 2018; 12:342. DOI: <https://doi.org/10.3389/fnhum.2018.00342>
12. Wu R, Liu LL, Zhu H, Su WJ, Cao ZY, Zhong SY, Liu XH, Jiang CL. Brief mindfulness meditation improves emotion processing. *Front Neurosci* 2019; 13:1074. DOI: <https://doi.org/10.3389/fnins.2019.01074>
13. Parmentier FBR, García-Toro M, García-Campayo J, Yañez AM, Andrés P, Gili M. Mindfulness and symptoms of depression and anxiety in the general population: The mediating roles of worry, rumination, re-appraisal and suppression. *Front Psychol* 2019; 10:506. DOI: <https://doi.org/10.3389/fpsyg.2019.00506>
14. Nash J. The history of meditation: Its origins & timeline. *PositivePsychology*. Last access: June 22, 2024. Available at: <https://positivepsychology.com/history-of-meditation/>
15. Amihai I, Kozhevnikov M. The influence of buddhist meditation traditions on the autonomic system and attention. *Biomed Res Int* 2015; 2015:731579. DOI: <https://doi.org/10.1155/2015/731579>
16. Wright DS. Introduction: Rethinking Ritual Practice in Zen Buddhism. In Steven Heine, and Dale S. Wright (eds), *Zen Ritual: Studies of Zen Theory in Practice* (New York, 2007; online edn, Oxford Academic, 1 Jan. 2008). pISBN: 9780195304671. DOI: <https://doi.org/10.1093/acprof:oso/9780195304671.003.0001>
17. Kabat-Zinn J, Kabat-Zinn M. Mindful parenting: Perspectives on the heart of the matter. *Mindfulness (N Y)* 2021; 12(2):266-268. DOI: <https://doi.org/10.1007/s12671-020-01564-7>
18. Hölzel BK, Carmody J, Vangel M, Congleton C, Yerramsetti SM, Gard T, Lazar SW. Mindfulness practice leads to increases in regional brain gray matter density. *Psychiatry Res* 2011; 191(1):36-43.

DOI:

<https://doi.org/10.1016/j.psychresns.2010.08.006>

19. Tang R, Friston KJ, Tang YY. Brief mindfulness meditation induces gray matter changes in a brain hub. *Neural Plast* 2020; 2020:8830005. DOI: <https://doi.org/10.1155/2020/8830005>
20. Gotink RA, Vernooij MW, Ikram MA, Niessen WJ, Krestin GP, Hofman A, Tiemeier H, Hunink MGM. Meditation and yoga practice are associated with smaller right amygdala volume: The Rotterdam study. *Brain Imaging Behav* 2018; 12(6):1631-1639. DOI: <https://doi.org/10.1007/s11682-018-9826-z>
21. Šimić G, Tkalčić M, Vukić V, Mulc D, Španić E, Šagud M, Olucha-Bordonau FE, Vukšić M, R Hof P. Understanding emotions: Origins and roles of the amygdala. *Biomolecules* 2021; 11(6):823. DOI: <https://doi.org/10.3390/biom11060823>
22. Hölzel BK, Carmody J, Evans KC, Hoge EA, Dusek JA, Morgan L, Pitman RK, Lazar SW. Stress reduction correlates with structural changes in the amygdala. *Soc Cogn Affect Neurosci* 2010; 5(1):11-17. DOI: <https://doi.org/10.1093/scan/nsp034>
23. Kral TRA, Schuyler BS, Mumford JA, Rosenkranz MA, Lutz A, Davidson RJ. Impact of short- and long-term mindfulness meditation training on amygdala reactivity to emotional stimuli. *Neuroimage* 2018; 181:301-313. DOI: <https://doi.org/10.1016/j.neuroimage.2018.07.013>
24. Rathore M, Verma M, Nirwan M, Trivedi S, Pai V. Functional connectivity of prefrontal cortex in various meditation techniques - A mini-review. *Int J Yoga* 2022; 15(3):187-194. DOI: https://doi.org/10.4103/ijoy.ijoy_88_22
25. Lazar SW, Kerr CE, Wasserman RH, Gray JR, Greve DN, Treadway MT, McFarvey M, Quinn BT, Dusek JA, Benson H, Rauch SL, Moore CI, Fischl B. Meditation experience is associated with increased cortical thickness. *Neuroreport* 2005; 16(17):1893-7. DOI: <https://doi.org/10.1097/01.wnr.0000186598.66243.19>
26. Krishnakumar D, Hamblin MR, Lakshmanan S. Meditation and yoga can modulate brain mechanisms that affect behavior and anxiety-A modern scientific perspective. *Anc Sci* 2015; 2(1):13-19. DOI: <https://doi.org/10.14259/as.v2i1.171>
27. Turakitwanakan W, Mekseepralard C, Busarakumtragul P. Effects of mindfulness meditation on serum cortisol of medical students. *J Med Assoc Thai* 2013; 96 Suppl 1:S90-S95.
28. Guglietti CL, Daskalakis ZJ, Radhu N, Fitzgerald PB, Ritvo P. Meditation-related increases in GABAB modulated cortical inhibition. *Brain Stimul* 2013; 6(3):397-402. DOI: <https://doi.org/10.1016/j.brs.2012.08.005>
29. Marchand WR. Neural mechanisms of mindfulness and meditation: Evidence from neuroimaging studies. *World J Radiol* 2014; 6(7):471-479. DOI: <https://doi.org/10.4329/wjr.v6.i7.471>
30. Sezer I, Pizzagalli DA, Sacchet MD. Resting-state fMRI functional connectivity and mindfulness in clinical and non-clinical contexts: A review and synthesis. *Neurosci Biobehav Rev* 2022; 135:104583. DOI: <https://doi.org/10.1016/j.neubiorev.2022.104583>
31. Black DS, Slavich GM. Mindfulness meditation and the immune system: A systematic review of randomized controlled trials. *Ann N Y Acad Sci* 2016; 1373(1):13-24. DOI: <https://doi.org/10.1111/nyas.12998>
32. Malinowski P. Neural mechanisms of attentional control in mindfulness meditation. *Front Neurosci* 2013; 7:8. DOI: <https://doi.org/10.3389/fnins.2013.00008>
33. Teper R, Inzlicht M. Meditation, mindfulness and executive control: The importance of emotional acceptance and brain-based performance monitoring. *Soc Cogn Affect Neurosci* 2013; 8(1):85-92. DOI: <https://doi.org/10.1093/scan/nss045>
34. Guendelman S, Medeiros S, Rampes H. Mindfulness and emotion regulation: Insights from neurobiological, psychological, and clinical studies. *Front Psychol* 2017; 8:220. DOI: <https://doi.org/10.3389/fpsyg.2017.00220>
35. Knowles P. What is trying to happen here? Using mindfulness to enhance the quality of patient encounters. *Perm J* 2008; 12(2):55-59. DOI: <https://doi.org/10.7812/TPP/07-043>
36. Edenfield TM, Saeed SA. An update on mindfulness meditation as a self-help treatment for anxiety and depression. *Psychol Res Behav Manag* 2012; 5:131-41. DOI: <https://doi.org/10.2147/PRBM.S34937>
37. Whitfield T, Barnhofer T, Acabchuk R, Cohen A, Lee M, Schlosser M, Arenaza-Urquijo EM, Böttcher A, Britton W, Coll-Padros N, Collette F, Chételat G, Dautricourt S, Demnitz-King H, Dumais T, Klimecki O, Meiberth D, Moulinet I, Müller T, Parsons E, Sager L, Sannemann L, Scharf J, Schild AK, Tournon E, Wirth M, Walker Z, Moitra E, Lutz A, Lazar SW, Vago D, Marchant NL. The effect of mindfulness-based programs on cognitive function in adults: A systematic review and meta-analysis. *Neuropsychol Rev* 2022; 32(3):677-702. DOI: <https://doi.org/10.1007/s11065-021-09519-y>
38. Zhang Q, Wang Z, Wang X, Liu L, Zhang J, Zhou R. The effects of different stages of mindfulness meditation training on emotion regulation. *Front Hum Neurosci* 2019; 13:208. DOI: <https://doi.org/10.3389/fnhum.2019.00208>
39. Oh VKS, Sarwar A, Pervez N. The study of mindfulness as an intervening factor for enhanced psychological well-being in building the level of resilience. *Front Psychol* 2022; 13:1056834. DOI: <https://doi.org/10.3389/fpsyg.2022.1056834>
40. Jiménez-Picón N, Romero-Martín M, Ponce-Blandón JA, Ramírez-Baena L, Palomo-Lara JC, Gómez-Salgado J. The relationship between mindfulness and emotional intelligence as a protective factor for healthcare professionals: Systematic review. *Int J Environ Res Public Health* 2021; 18(10):5491. DOI: <https://doi.org/10.3390/ijerph18105491>
41. Crego A, Yela JR, Gómez-Martínez MÁ, Riesco-Matías P, Petisco-Rodríguez C. relationships between mindfulness, purpose in life, happiness, anxiety, and depression: Testing a mediation model in a sample of women. *Int J Environ Res Public Health* 2021; 18(3):925. DOI:

<https://doi.org/10.3390/ijerph18030925>

42. Santonastaso O, Zaccari V, Crescentini C, Fabbro F, Capurso V, Vicari S, Menghini D. Clinical application of mindfulness-oriented meditation: A preliminary study in children with ADHD. *Int J Environ Res Public Health* 2020; 17(18):6916. DOI: <https://doi.org/10.3390/ijerph17186916>
43. Huberty J, Green J, Glissmann C, Larkey L, Puzia M, Lee C. Efficacy of the mindfulness meditation mobile app “calm” to reduce stress among college students: Randomized controlled trial. *JMIR Mhealth Uhealth* 2019; 7(6):e14273. DOI: <https://doi.org/10.2196/14273>
44. Lenze EJ, Voegtle M, Miller JP, Ances BM, Balota DA, Barch D, Depp CA, Diniz BS, Eyler LT, Foster ER, Gettinger TR, Head D, Hershey T, Klein S, Nichols JF, Nicol GE, Nishino T, Patterson BW, Rodebaugh TL, Schweiger J, Shimony JS, Sinacore DR, Snyder AZ, Tate S, Twamley EW, Wing D, Wu GF, Yang L, Yingling MD, Wetherell JL. Effects of mindfulness training and exercise on cognitive function in older adults: A randomized clinical trial. *JAMA* 2022; 328(22):2218-2229. DOI: <https://doi.org/10.1001/jama.2022.21680>
45. Demnitz-King H, Requier F, Whitfield T, Schlosser M, Gonneaud J, Ware C, Barnhofer T, Coll-Padros N, Dautricourt S, Delarue M, Klimecki OM, Paly L, Salmon E, Schild AK, Wirth M, Frison E, Lutz A, Chételat G, Collette F, Marchant NL; Medit-Ageing Research Group. Effects of meditation training and non-native language training on cognition in older adults: A secondary analysis of a randomized clinical trial. *JAMA Netw Open* 2023; 6(7):e2317848. DOI: <https://doi.org/10.1001/jamanetworkopen.2023.17848>

Received: May 01, 2024 | Revised: June 05, 2024 | Accepted: June 14, 2024
