

Science INSIGHTS®

The Official Journal of Bono Academy of Science & Education

<http://bonoi.org>

05 July 2013, Volume 1, no. 1



About the Cover

► Mission: Let science reach the far corner by education

Editors *(Alphabetically)*

Editor-in-Chief

Fred F. **Wang** (*BASE, Wake Forest University, USA*):
editor-in-chief@bonoi.org

Deputy Editor-in-Chief

Michael P. **Worden** (*BASE, University of Michigan, USA*)

In-House Editors

Niklas **Akey** (*University of Washington, USA*)

Sergey P. **Bashkirov** (*National University of Science and Technology, Russia*)

Xinguo **Cao** (*University of Toronto, Canada*)

José Javier **Chichón** (*University of Barcelona, Spain*)

Elizabeth **Erdman** (*BASE, Wake Forest University, USA*)

Kenji **Hamajima** (*BASE, North Carolina State University - Raleigh, USA*)

Tanseli **Kanit** (*Ege University, Turkey*)

Young Yee **Kim** (*Seoul National University, South Korea*)

George G. **King** (*Columbia University, USA*)

Mark E. **Kohl** (*BASE, Brown University, USA*)

Daniel A. **Lee** (*BASE, University of Delaware, USA*)

Yanning **Qian** (*Nanjing Medical University, China*)

Raquel **Soares** (*University of Porto, Portugal*)

Takashi **Sudo** (*Kyoto University, Japan*)

Thomas R. **Wilson** (*Minnesota University, USA*)

Hiroyuki **Yamamoto** (*Ritsumeikan University, Japan*)

Jie **Yang** (*Nanjing University, China*)

Longyun **Zhou** (*Jiangsu Institute of Education, China*)

Göraan **Zopper** (*University of Kentucky, USA*)

Contributing Editors

Guoguang **Niu** (*Wake Forest University, USA*)

Xiaofeng **Shi** (*University of California San Diego, USA*)

Dong **Wang** (*Xiamen University, China*)

Yanping **Zhao** (*Tsinghua University, China*)

Linguistic Editors

Christine M. **Dixit** (*University of California San Francisco, USA*)

Junbang **He** (*Lanzhou University of Technology, China*)

Claudia **Irimia** (*University of Cambridge, UK*)

Sarah K. **Newton** (*University of North Carolina, USA*)

Mary A. **Rerie** (*Ohio State University, USA*)

Stephen J. **Stenger** (*University of Florida, USA*)

Statistical Editors

Dennis S. **Lee** (*University of California Los Angeles, USA*)

Roo **Liu** (*McGill University, Canada*)

Editorial Office

Monica R. Silber (*Editor Assistant*):
monica.silber@bonoi.org

Susan J. Song (*Secretary*): susan.song@bonoi.org

Amie S. Cahill (*Technician*): amie.cahill@bonoi.org

Editorial Office: editorial-office@bonoi.org

Founding-Committee of the BASE

Elizabeth **Erdman** D.Pharm. - eerdman@bonoi.org

Kenji **Hamajima** Ph.D. - k.hamajima@bonoi.org

Mark E. **Kohl** Ph.D. - mkohl@bonoi.org

Daniel A. **Lee** Ph.D. - daniel.lee@bonoi.org

Fred F. **Wang** M.D. Ph.D. - fredwang@bonoi.org

Michael P. **Worden** M.D. M.P.H. - michael.worden@bonoi.org



Science Tests Idea | Science Speaks Truth | Science Makes Difference
Education On Science | Education For Advancement | Education To Future

Beijing, CHINA Space Education

Science education is the key to a nation's sustainable development. Yaping Wang, the female astronaut in the Tiangong 1 space station, showed grade stu-




dents the principles of weightlessness with series simple means like floating twirled gyroscopes. Even the original purpose for such display is to make space science more popular, it is still worthwhile to be commended due to its education meaning. The live telecommunication gives young people imagination and sprouts interest to science. ■

http://v.163.com/zixun/V8VHCH2N2/V90SK3KMV.html#zixunplay_continueplay

Copenhagen, DENMARK Molecular Chip

The break news is that a molecular transistor was made by a group of chemists and physicists from the Department of Chemistry Nano-Science Center at the University of Copenhagen and Chinese Academy of Sciences, Beijing. This represents a first step towards proper integrated molecular circuits. Also it opens the possible window for the



green science if the transistors, wires, contacts and other electronic components made from single molecules could be worked out. It gives us hope to live a life in a world with smaller, faster and more green and sustainable electronic devices. ■

http://news.ku.dk/all_news/2013/2013.6/molecular_chip/

Washington DC, USA Space 3D Printer

"Made in Space" will be on 3D printed-outs. We explore space, and we also make things more intriguing. A serious microgravity tests have been conducted to make the 3D printer possible in-to space. 3D printers use a technique called extrusion additive manufacturing to build objects layer by layer out of polymers, metals, composites and other materials. Made in Space's machine is slated to launch toward the orbiting lab in 2014, in a col-



laboration with NASA's Marshall Space Flight Center. ■

<http://www.space.com/21630-3d-printer-space-station-tests.html>

Washington DC, USA Global Warming

We should pay more attention on our globe; you know it is becoming warming every second. Yes we should be. President Barack Obama is planning a major push using executive powers to tackle



the pollution blamed for global warming. "This is the global threat of our time," Obama said. "And for the sake of future

generations, our generation must move toward a global compact to confront a changing climate before it is too late. That is our job. That is our task. We have to get to work." ■

<http://news.yahoo.com/obama-commits-tough-push-global-warming-121057139.html>

SCIENCE INSIGHTS®

Visit us at www.bonoi.org
ISSN: 2329-5856 (online)



MICROBIOLOGY

Silver in Antimicrobes

Antibiotic resistance challenges microbiologists since the out of control of antibiotic use. Some patients infected with *Salmonella Enterica* or *Stenotrophomonas Maltophilia* cannot be treated with traditional antibiotics that results in sepsis or septic shock. So seeking novel methods to control resistant bacteria is the goal for modern medicine. Silver, a precious metal has been used to fight against infection for thousands years. Today, a team headed by Dr. James J. Collins from Boston University and Harvard University found that can enhance the action of existing antibiotics against Gram-negative bacteria. In mice, they used AgNO₃ combined with vancomycin to treat three infection models, and got encouraging results. Their findings give hope for controlling antibiotic-

resistant bacteria only if the toxic evaluation gave promising non-toxic effects. – FW

Sci Transl Med 2013; 5(190): 190ra81

ECOLOGY

Moving for Foods?

The change in the number of marine birds along the North American Pacific Coast is an important indicator of the regional ecosystem. Many factors are associated with the decline of these species, like oceanic regime shifts, sea-surface temperature, thermocline and degree of upwelling all contributes to the shifts of the marine birds. The group led by Dr. Scott Wilson from Environment Canada reported that the decline of western grebe populations at the continental scale is from the dramatic southward range shift which may be related to large-scale fluctuations in the spatial


distribution and abundance of their forage fish prey base. Is this due to the behavioral changes or for breeding or the climate shift needs to be studied further. – MEK

PloS One 2013, 8(6): e65408

ORGANIC CHEMISTRY

Inhibitors of HSP90

Heat shock protein 90 (HSP90), an ATP-hydrolysis-driven molecular chaperone, plays a pivotal role in the pathogenesis of many diseases like neoplasm, AIDS, neurodegenerative diseases, and sepsis. Studies concentrating on HSP90 inhibition are based on its involvement in the regulation of a body of client proteins and the promising therapeutic effect. Dr. Christopher J. Moody from the University of Nottingham prospected that natural inhibitors of HSP90 possess crucial clinical implications. Currently, over 10 compounds functioning on HSP90 blockade undergoing clinical trials. In their perspective they conveyed the continued importance of natural products in modern chemistry and displayed



hope for the enthusiasm in finding novel natural inhibitors of HSP90 as that of the isolation of geldanamycin and radicicol. – DAL

J Org Chem 2013, 78 (11): 5117

Science INSIGHTS®: the Science Journal for You

The Editorial Office of *Science INSIGHTS*®^Δ

Science INSIGHTS® is a new launched international journal focusing on science and science education. It provides a platform for your science opinion and promotes education of science knowledge. Taking advantage of our new standards in science, you can insight the real world of science with specific view. It is a challenge for scientists to test their ideas, and it is also a challenge for educators to spread science. Science and education, both of them have the equal priority to one another in the process of advancing science knowledge. This is the very goal of *Science INSIGHTS*® to spread and educate science to each corner of the world.

Δ Correspondence to The Editorial Office of Science INSIGHTS®, Winston-Salem, NC 27103, USA
<http://www.bonoi.org>
 Email: editorial-office@bonoi.org
 Submitted: 03 June 2013
 Revised: 05 June 2013
 Accepted: 05 June 2013

Sci Insights, 2013, 1(1): 5-8.

WHEN you switch on your computer and log on any one website, you will be surrounded and snuffed instantly by uncountable messengers and huge bodies of information and news. Changes occur every second and may be you are the host of the change. You can get any information of the far corners of the world by a click regardless of the distance. It is true, but also it is virtual. Yes, it is science that makes you possible to reach your hands to the far ends of the world through surfing the web. Two decades ago, it was just a dream for us to do this, and it only could be seen in “science fictions”. However, it is the very reality right now.

We all believe that science changes our life, yet we also believe it is so hard to conduct high-profile studies. For scientists, it is not easy to figure out solid answers for their hypotheses. Maybe you are not a researcher, but a witness by using the products from science progress. You don't need do laboratory work, but you still can realize your science dream by education and communication.

Education is the only way to make science popular, and communication is the best means for education. So this is the goal of *Science INSIGHTS*®: let science reach the far corner by education. Based on this goal, we set up our missions: provide platform for the development of science and education; spread science to each corner of the world; sparkle education of science knowledge; encourage youth

pursuing science and education; promote world-wide communication and collaboration; give chances of speaking for non-professionals of science and education; build global links through educating science; change life with science and education; and light the path of future.

Science INSIGHTS® as the official journal of The Bonoi Academy of Science & Education (BASE) will be published instantly online, i.e. in time and on time. We publish everyday and you can find brand new information on our website. The materials released within two weeks will be set up as an issue, and four issues will be one volume. *Science INSIGHTS*® belongs to a general science journal including all categories of science, and it includes a total of 21 types of columns to promote in-depth science communication.

Columns for Publication

News: Everyday, we have news. *Science INSIGHTS*® accepts news from all over the world that occurred in the past two weeks before it is to be released. *News* will be checked for the authenticity and will be published immediately without further peer review.

Editorial: This belongs to the editors with specific comments or thoughts on would-be or has-been published materials.

Essay: If you have some special thoughts and considerations on the science and education, you can write them down. *Essay* generally belongs to the author's personal point of view on the general science and education, but not for a specific professional question. Tell us your point of view with this kind of *Essay*, and we will present your point to the world.

Poem: *Science INSIGHTS®* is not only for the regular publications of science and education, but also for the aesthetics and rhythm of our surroundings. If you are interested in this form of literary art, write it and publish it. Let science and education show more enjoyable elements.

Journal Club: *Journal Club* means a group of individuals who meet regularly to critically evaluate recent articles in scientific literatures.

Science INSIGHTS® welcomes *Journal Club* that criticizes any kinds of papers published in any internationally-circulated English-edited journals in the past three months before it is to be published. Do not forget citing the article you criticized in your *Journal Club* submission.

Letters: A huge number of papers are published every day. If you have some different ideas or personal points on one paper, you can write us with a letter and describe your thoughts clearly. We will take into consideration of it for publication without peer-review process. No matter the paper comes from which journal, you can letter us only if it was published in the past three months before it is to be accepted for publication.

Comments: *Comments* on others' publication means you have different or similar thoughts on the same topic. You need give an in-depth analysis with robust evidence upon your points. You can write a comment on any papers published in any internationally-circulated English-edited journals in the past three months.

Perspectives: This is a specific type of paper written with foreseeing style. It gives readers an overall impression with impressive in-depth presentation. It generally inspires new ideas or even novel thoughts. Sometimes it raises new questions with the potential to change the world. Even if you think it is strange for others, but it may be just the thing, the very thing we wanted.

Opinion: This is not the same thing as the *Perspectives*, *Opinion* means you speak out your thoughts on the bases

of currently available evidence. But sometimes, you do not need provide solid evidence, but just show you opinion to everything – science, education, society, politics, economy and future etc. if you have some special opinions, please write us.

Picture Station: *Science INSIGHTS®* publishes pictures considered as the important snapshots of the science or education. If you are a drawing-lover, you can draw pencil sketches and cartoons for the Journal to reflect the contents of science or education.

Feature of Life: We every day have different life experience, and also have different stories. If you think yours are associated with science or education, you can tell us, and we will tell them to the world. *Feature of Life* is special column for *Science INSIGHTS®*,

from which we highlight our everyday life with marks of science and education. Also, if you are a story-lover, you can write us yours and even others you think it is interesting enough for the world.


Scientist On-Spot: *Science INSIGHTS®* reports and introduces scientists to the world. Please tell us the stories of scientists you think is worthy being known by the world. This is also a means for better understanding and communication among scientists.

Educator On-Spot: As the goal of the BASE: let science reach the far corner by education. We also tell the world your stories if you are an educator. Write us no matter you are working for kids, or youths, or college students, or adult students.

Hypothesis: If you have new idea, but you cannot test it due to the limitations of time, efforts and finances, so you can write us *Hypothesis*. Tell us the background, why you think it is essential, the hypothesis, how to test it, and what methods you think are needed when testing it.

Review: If you are expertise in your field or you are familiar with what you are doing, you can collect corresponding information and write us *Review*. *Review* paper can be mini, comprehensive and systematic. Meta-analysis is also included in this type of paper.

Reports: You can report your findings without subtitles; just describe it with one kind of formation from the beginning to the end. This is the good thing for some people, but



not yet for others. If you are good at writing descriptive papers, you can use this formation as your data presenter.

Short Communication: If you do not have too much data, you can write us the *Short Communication*, in which the paper is divided into five major parts: introduction, materials and methods, results, discussion and references.

Article: Unlike the *Short Communication*, *Article* is defined with over 5,000 words for the text (not including the references). The body of the *Article* is composed of five parts: introduction, materials and methods, results, discussion and references.

Book Review: We publish *Book Review* for authors or publisher to spread the contents of the book contains.

Cover-SI: In general, *Science INSIGHTS*® chooses her cover for each issue from the would-be publications, but we also accept submissions for the *Cover-SI*. If you are interested in, please submit us the cover arts with some 50 words legend.

Erratum: We try the best to reduce the errors when publishing, but it is still unavoidable. So the *Erratum* is set for the purpose of correction.

Support for Your Success

Science INSIGHTS® supports the development of science in low-resource countries. If you are from the 1st-type countries (please refer to *For Authors*) and also are interested in science and education, you can submit your work to us with low publication charges. Meanwhile, you can apply for a waiver for the payment if it is unaffordable to you. Remember, our goal is to support you and your nation's science development by education. Tell us your stories without hesitation.

The Linguistic Editors of *Science INSIGHTS*® provide free English language editing for non-English speaking authors whose manuscripts were accepted for publication in the journal of *Science INSIGHTS*®. However, if you need help in English editing before submission, we also provide the editing services with charges (please refer to *Sci-Editing*).

Foundations from the BASE

The BASE Research (BASER) Foundation. This is a competitive and comprehensive foundation aiming for supporting professional or non-professional researchers who are working at universities, institutes and academies. Only if you are interested in scientific research, and want to make something different, yes, you can apply. The

BASER foundation grants each entrant up to \$2,500 (USD). A total of 3 grants will be issued each year. If you perform continual work, you can apply for a renewal for the support up to 5 years based on your active membership.

The BASE Education (BASEE) Foundation. This is a hope-catching foundation aiming for promoting science education to the far corners of the world. No matter where you are, and who you are teaching or educating, and what kinds of disciplines you are focusing on, you can apply it only if you are working for spreading science knowledge. The BASEE foundation grants each entrant up to \$2,500 (USD). A total of 3 grants will be issued each year. If you perform continual work, you can apply for a renewal for the support up to 3 years based on your active membership.

Awards from the BASE

“Yearly Best Paper” Award. *Science INSIGHTS*® awards the paper that is nominated as the “Yearly Best Paper” for each category of the published paper in the Journal. The “Yearly Best Paper” will be highlighted on the journal website.

Eligibility

- Have publications in *Science INSIGHTS*® for the past year;
- Any kinds of publications are eligible for the award;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- If you are a member of the BASE, the nomination fee for this application will be waived totally;
- The author or the group (over 2 authors) will be awarded up to \$300 (USD) for each publication.

“Science Pioneer” Award. The BASE honors three “Science Pioneer” awards each year with \$500 (USD).

Eligibility

- Must be a member of the BASE for at least one year;
- With recommendations by two peer experts;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- If you are the selected regional representative of the BASE or the regional editor of *Science INSIGHTS*®, the nomination fee for this application will be waived totally.

“BONOI Distinguished Scientists” Award. The BASE awards two “BONOI Distinguished Scientists” each year with \$1,000 (USA) for those contributing to the development of science.

Eligibility

- Have publications in *Science INSIGHTS*® for the past year;

- The publication contents must be associated with the science research or science proposal;
- Must be a member of the BASE for one year;
- With recommendations by two peer experts;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- The award will be honored to individual author even multiple authors there for one publication.

“BONOI Distinguished Educators” Award. The BASE awards two “BONOI Distinguished Educators” each year with \$1,000 (USA) for those contributing to the advancement and spread of science.

Eligibility

- Have publications in Science INSIGHTS® for the past year;
- The publication contents must be associated with the science education;
- Must be a member of the BASE for one year;
- With recommendations by two peer experts;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- The award will be honored to individual author even multiple authors there for one publication.

“BONOI Young Scientists” Award. To encourage young researchers exploring science, the BASE will award two young scientists who have great and top stories for the past year with \$500 (USD) for each.

Eligibility

- Have publications in Science INSIGHTS® for the past year;

- With ages younger than 30 years old for male and 33 years for female applicants;
- The publication contents must be associated with the science research or science proposal;
- Must be a member of the BASE for one year;
- With recommendations by two peer experts;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- The award will only be honored to the first or the corresponding author.

“BONOI Young Educators” Award. To encourage young educators spreading science knowledge, the BASE will award two young educators who have great and encouraging stories for the past year with \$500 (USD) for each.

Eligibility

- Have publications in Science INSIGHTS® for the past year;
- With ages younger than 30 years old;
- The publication contents must be associated with education;
- Must be a member of the BASE for one year;
- With recommendations by two peer experts;
- Nomination fee: \$100 (USD) that is for the evaluation by the Nomination Committee;
- The award will only be honored to the first or the corresponding author.

Science makes difference, but education makes science different. If science could be educated promptly and precisely, the world would be more rational than ever.■

SCIENCE INSIGHTS
www.bonoi.org
ISSN: 2329-5856 (online)



The Hormone Replacement Therapy in Cerebrovascular Diseases: Is the Receptor Remodeled? ^{PC}

Yusheng Liu,^{*,1} Shiqin Xu,^{*,1} Xiaofeng Shen,^{*} Xueneng Guan,[†] Fuzhou Wang^{*,Δ}

EVENTS IN CEREBRAL vessel have long been considered as a leading cause of disability in postmenopausal women with the physiological changes in expression and secretion of sex hormones. Hormone replacement therapy (HRT) emerged as a supplementary therapeutic strategy for them with the potential risk of cerebrovascular accidents. Epidemiological and genetic data showed that an interrelationship exists between hormone replacement and cerebrovascular disorders. Many animal experiments and clinical observations produced different results: these varied from positive to negative. Furthermore, recent studies could not identify the particular hormone, estrogen or progesterone that is more beneficial than the other. Here we summarize the two hormones' effects on cerebrovascular diseases; associated epidemiological and genetic evidences; and the real status of the benefits and risks of HRT as well. We further hypothesize that whatever effects of HRT on brain vessel, hormone receptor expression, density, sensitivity and function may undergo alteration to varying extents, i.e. receptor plasticity give rise to the receptor remodeling in postmenopausal older women, this may terminally produce the unwelcome effects.

^{*}: Department of Anesthesiology and Critical Care Medicine, Affiliated Nanjing Maternal and Child Health Care Hospital, Nanjing Medical University, Nanjing, China

[†]: Neurology Department, Jiangsu Province Hospital of Integrated Traditional and Western Medicine, Nanjing, China

^Δ: Correspondence to Fuzhou Wang, No. 123, Tianfei Xiang, Mochou Rd., Nanjing 210004, China

Tel: +86-25-5222 6112

Fax: +86-25-8420 0723

Email: zfwang50@njmu.edu.cn

1. These authors contributed equally to this work

^{PC}: Publisher Copyright

Received: 02 April 2013

Revised: 04 June 2013

Accepted: 10 June 2013

Sci Insights, 2013, 1(1): 9-15.

Keywords: Cerebrovascular disease – Hormone replacement therapy – Estrogen – Progesterone – Inflammation – Lipopolysaccharide

ORGANISMS have astounding abilities to recover from considerable external interference and internal imbalance. This potential has been manipulated throughout human history. This ability diminishes with increasing age. As humans age, cerebrovascular diseases have increasingly become one of the leading causes of morbidity and mortality after severe infectious diseases have been controlled. Cerebrovascular accidents, a part of the complex of vascular diseases, have its

own origin. While various associated risk factors for stroke have been identified over the past several decades, effective approaches towards preventing this pathological process still remain unclear.

We retrieved PubMed and Google scholar data sources through the keywords of “hormone replacement therapy”, “cerebrovascular disease”, “estrogen” and “progesterone”, and combined them together for the second retrieve. All collected data showed that estrogen and progester-

one, two members of steroid hormone family, are well known for their roles in cerebrovascular function. But the administration of the two hormones in vascular diseases has been restricted for the severe negative effects attendant to their use. Although the effects of these two molecules have been evaluated and their roles in vascular diseases reviewed, we hypothesize that alteration in hormone receptors plasticity results in the brain-vessel-accident during HRT in treated menopausal women.

Epidemiology for Cerebrovascular Diseases

The World Health Organization (WHO) defines stroke as rapidly developing clinical signs of focal or global disturbance of cerebral function with symptoms lasting 24 hours or longer or leading to death, with no apparent cause except of vascular origin (1). The International Classification of Diseases (ICD) using etiology and pathology has divided stroke into nine major groups. In 1990 the National Institute of Neurological Disorders and Stroke (NINDS) group classified stroke broadly according to its epidemiological, pathological and clinical features (2).

With the development and utilization of medical imaging equipments such as the computerized tomography (CT), magnetic resonance imaging (MRI), position emission tomography (PET) and transcranial Doppler cerebral flow assessment, stroke diagnosis has changed dramatically. With these techniques a far more detailed evaluation can be given, and the prognosis after the attack of the cerebral vascular accident evaluated and improved.

The high mortality of stroke has been recognized worldwide, being higher in the third world than in industrialized countries. Age is the strongest predictor of mortality in stroke-affected individuals. The average mortality rate is 7.6% for ischemic stroke and 37.5% for hemorrhagic stroke at 30 days after the accident (3).

In general, the stroke rate changes with race, family history, gender and age. Simultaneously, other so-called modifiable factors such as smoking, obesity, physical activity, hypertension, hyperlipidemia and other risk factors significantly affect the occur-

rence of stroke (4). With the use of preventive therapies and interventions, the burden of cerebrovascular diseases is improving dramatically. Educations of the populations at risk play a pivotal role in reducing stroke occurrence. However, the precise mechanisms for cerebrovascular accidents are yet to be clarified.

Genetic Associated Causes of Cerebrovascular Diseases

Evidence is accumulating indicating that cerebrovascular diseases are strongly associated with genetics. Yamamoto and colleagues (5) reviewed the major causes of cerebrovascular diseases that related directly or indirectly to genetics. Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), a stroke syndrome, results from mutation in the gene at Notch 3 encoding for the large Notch 3 transmembrane receptor (6). Normally, Notch 3 comprises of a 97kDa intracellular fragment and a 210kDa extracellular fragment. However, a large number of the Notch 3 ectodomain (210kDa) are accumulated within the cerebral vessels in CADASIL patients and models. This strongly suggests that Notch 3 plays a crucial role in CADASIL cases.

X-linked disorders such as Fabry disease are caused by mutation in the α -galactosidase A gene. After 3 or 4 decades, patients with Fabry disease suffer stroke, mainly small-vessel ischemic stroke (7). Stroke in such patients is accompanied with hypertension and cardiac abnormalities.

Homocystinuria, an autosomal disorder, has a significant association with the defective gene that normally encodes the cystathio-nine β -synthase

and the deficiency of methylenetetrahydrofolate reductase (MTHFR). Furthermore, mitochondrial encephalopathy, lactic acidosis, and stroke-like episodes (MELAS) is caused by mutations in mitochondrial DNA (8).

Additionally, sickle cell disease is caused by a mutation in the β -polypeptide chain of haemoglobin, in which glutamic acid replaces valine. Many such patients suffer their first stroke between the ages of 2 and 5 years (9).

Recovery from Cerebrovascular Diseases

Although a good number of investigations have been made on cerebrovascular accidents, the results have not been consistently useful. Even so the therapeutic approach to stroke management has seen little change.

Stroke rehabilitation has been defined from the perspectives of different individual structure, process and outcome (10). The basic deficits assessed in stroke comprise motor, sensory, visual and impairments. Many systems exist for assessing stroke patients' abilities to recover. Two most widely used assessments are the Functional Independence Measure (FIM) (11) and the Barthel Activities of Daily Living (LDL) index (12).

There are many major goals of stroke recovery. Rehabilitation from motor deficits is the most common goal: motor deficits are characterized by muscle weakness, clumsiness and fatigue. Individualized therapeutic techniques need to be adapted to patients at different stages of motor recovery (13).

Unfortunately, no consistently effective therapy has been described. Pain in the shoulder of the affected side is very common after brain vessel accidents. Besides, neuropsychological deficits should also be consid-



ered. Management usually requires an empirical therapist working patiently with verbal or/and non-verbal material and approaches (14).

Basic Actions of Estrogen

The physiological estrous cycle plays an essential role in regulating secretion and signaling of estrogen: these are functions of the ovaries. Estrogen has the basic molecular structure of perhydrocyclopentanophenanthrene, and exerts its effects in the same way as glucocorticoid. The estrogen receptor is a member of the steroid-hormone-receptor family of proteins. It has two structurally distinct receptors, ER- α and ER- β . Three different receptor complexes exist either as a homodimer α/α or β/β or a heterodimer α/β , with each one processing respective unique properties.

When estrogen is transported through the cell membrane, it binds with high affinity to ER. The binding, with the help of several receptor accessory proteins, on the one hand, promotes dissociation of some molecular components of the receptor; on the other hand, it recruits some other assistant proteins to the receptor. Finally, estrogen is carried and translocated into the nucleus where it binds to associated DNA in the domain to elicit appropriate response. Transcription and translation follow. Estrogen increases the expression of vasodilators, promotes the formation of anti-inflammatory molecules and decreases the pro-inflammatory proteins after the challenge of lipopolysaccharide (LPS) in rodent models. As a result, estrogen produces effects on cardiac and cerebral vessels and in inflammatory responses.

Progesterone Functions in Brain Vessel Disorders

A widely accepted function of progesterone is the neuroprotective role in traumatic brain injury. A battery of evidence showed that progesterone functions as a protector in middle cerebral artery occlusion (MCAO) and ischemic brain damage (15-20). However, Murphy demonstrated that progesterone does not ameliorate histological injury after MCAO in previously ovariectomized adult female rats and chronic administration can exacerbate infarction in subcortical regions of such rats (21).

Comparatively, it is not clear whether the benefits of progesterone administration outweigh its advert effects in cerebrovascular diseases (22). The natural progestins, usually progesterone and testosterone, have limited use due to their negative effects. Many new pro-gesterones including nomegestrol acetate (NOMAc) and trimegestone (TMG) that are derived from the parent molecule of progesterone are synthesized (23). Given the fewer side effects, better physiological activities and self-owned pharmacological properties; it is likely that these new derivatives have potential therapeutic values in cerebrovascular disorders.

Estrogen or Progesterone, Which One is Superior?

Estrogen and progesterone have long been considered as primary hormones in reproductive and maternal behaviors. Emerging data have shown that the two gonadal hormones function as neuro-protective and neuroregenerative agents in traumatic brain injury and stroke. With the progress of many investigations different, even opposite, results have been reported.

While estrogen exerts effect as a prophylactic in the treatment of ischemic brain injury, progesterone exerts effect as a post-injury treat-

ment for the acute, ischemic and traumatic injuries of the brain and spinal cord (24). Estrogen plays roles in preserving the antioxidant effect; reducing amyloid-beta (A- β) production and neurotoxicity; increasing in expression of the antiapoptotic factor bcl-2; and activating mitogen activated protein kinase (MAPK) pathways. Progesterone, on the other hand, has a membrane stabilizing effect and suppressing role in neuronal hyperexcitability (25). ZYC-26 (2-(1-adamantyl)-4-methylestrone), a non-feminizing estrogen, takes part in antioxidant activity, rather than ER binding of non-feminizing estrogens, and mediates their potent neuroprotective activity. Additionally, in view of the now known toxicities of chronic feminizing estrogen use in older women, non-feminizing estrogens may be a useful alternative for estrogen-induced brain protection (26). Estrogen provides protective role in increased vulnerability of males and menopausal females to cerebral ischemia by affecting amino acids (27). Transdermal HRT, with 17- β -estradiol patch [36 μ g/day] plus cyclic oral medroxyprogesterone acetate [2.5 mg/day, for 12 days/month] for 12 months, reduced carotid artery wall thickness, and this reduction may have been induced by an anti-atherosclerotic effect combined with the direct effect of estrogen and decreased levels of estrogen-induced E-selectin (28).

Nonetheless, Gordon *et al* reported that two weeks' pre-treatment with a high physiological dose of 17 β -estradiol increased infarct volume after permanent MCAO (29). This, in contrast, shows that estrogen does have the capacity to promote detrimental actions in the stroke-injured brain. And to some extent, estrogen replacement therapy exacerbates the

cerebral ischemia-reperfusion (I/R) injury in diabetic ovariectomized female rats through upregulated inflammation after tMCAO (30). In fact, it is possible that the influence of I/R on vessel function was more prominent than that of estrogen therapy (31). Moreover, a clinical trial showed that estradiol replacement therapy in elderly women who suffered cerebrovascular disease was unable to protect against reoccurrence of ischemia or to reduce the mortality compared to a placebo (32).

Progesterone exerts its neuroprotective role not merely by interfering with some late pathophysiological mechanisms leading both to selective neuronal damage in the hippocampal CA1 and CA2 subfields, and to shrinkage of the cerebral cortex (33), but also by suppressing specific aspects of the inflammatory response and nitric oxide synthase-2 expression in both permanent and transient ischemia (34). Moreover, synthetic progestins caused endothelial disruption, accumulation of monocytes in the vessel wall, platelet activation and clot formation. All these actions seem to be associated with combined administration of estrogen and progestin (35). As such, the therapeutic strategies on cerebrovascular diseases should be weighed wisely. Using progesterone with minimal vascular toxicity might result in much safer estrogen preparations for those people at risk of cerebral vessel accidents.

Inflammatory responses have been proved to participate in neuropathological changes. Estrogen functions in these through regulating the expression of adhesion molecules, inducible nitric oxide synthase (iNOS) and other inflammatory proteins (36), and protecting the cerebral blood vessels from endothelial dysfunction induced by A- β in Alzheimer's dis-

ease (AD) (37). Furthermore, 17 β -estradiol favorably affects vascular inflammation processes by affecting high sensitivity C-reactive protein (hs-CRP) and reducing cell adhesion molecules (38). Estrogen (17 β -estradiol) protects infarcted cerebral cortex by decreasing heat shock protein 27 (HSP-27) synergistically with 1 α ,25-(OH)₂-vitamin-D₃ (1,25-D₃) (39); inhibits the migration of inflammatory cell, particularly granulocytes, into the rat carotid arteries after acute endoluminal injury; but the progestin medroxyprogesterone acetate (MPA), a synthetic analog of progesterone, blocks this effect (40), attenuates blood-brain barrier (BBB) disruption by down-regulation of matrix metalloproteinases (MMP2 and MMP9) expression after I/R injury (41). Meanwhile, the presence of progesterone would diminish the anti-inflammatory effects of estrogen in ischemic brain injury after the rodent is challenged with LPS (42). The effect of estrogen or progesterone in the inflammatory process occurring after cerebrovascular accidents remain to be proved and may need large-sample, evidence-based and randomized clinical trials and meta-analysis.

In addition to estrogen and progesterone, testosterone may have a beneficial effect on axonal regeneration after injury in the central nervous system. Testosterone replacement post-MCAO accelerated functional recovery in castrate rats, suggesting a potential therapeutic role for testosterone replacement in stroke recovery (43).

Brass postulated that only estrogen replacement therapy in postmenopausal women is not effective in reducing the risk of a first or a recurrent stroke or death with established vascular

disease. In contrast, there may be an increased risk of fatal stroke among those who taking HRT (44). Consistent with a meta-analysis on the association between HRT and subsequent stroke, the use of HRT would increase the risk of stroke, typically ischemic cerebrovascular events (45).

While these literatures present a contrary concept against conventional HRT in postmenopausal women, more recent research put a shine on it, i.e. show no significant association between hormone therapy and risk of total stroke in women during 10.5 years follow-up, but the preparations of estrogen and time for initiation of treatment might affect the risk of stroke (46). A lifetime exposure to ovarian estrogens may protect against non-cardioembolic ischemic stroke, but a very early age of exposure initiation could be disadvantageous (47). Combination administration of estradiol valerate /medroxyprogesterone acetate (E(2)V/MPA) over nine years and at follow-up one year after discontinuation showed that lower dosages of HRT were as effective as higher doses in improving climacteric symptoms and health-related quality of life ratings and had fewer safety concerns (48).

It is certain that we could say that HRT has mixed results. Different studies arrived at different conclusions for subjective or objective reasons. Opposite results got from animal experiments or clinical trials notwithstanding, and even though some scientists suggested giving up the HRT (49, 50), the benefits of HRT is clear though the associated risks are yet to be fully elucidated. As estrogen and progesterone might function alone or together in cerebral vessel conditions, decisions in sup-



port or against their use in vascular associated events in the elderly must be considered carefully.

Is the Receptor Remodeled?

No matter which hormone, the first step for its role in peripheral organs is the binding to its receptor. The levels of estrogen and progesterone in circulation vary in different stages of peri- and post-menopausal women. The conventional clinical practice mainly concentrates on the administration of these hormones as the so-called HRT. Although the therapy can produce certain positive effects on acute cerebral injury, whether long-term exposure to such hormones is overall beneficial or not is questionable. We hypothesize that the expression of the receptors to these hormones is changed in the post menopausal elderly, especially at the time of and in the presence of stroke or I/R. Along with this, the plasticity of hormone receptor may alter and result in a corresponding shift in its sensitivity to ligands and down-regulation of its function. All these may be the receptor remodeling that result in dysfunction of the receptors. Besides this, the targeting direction of hormones made a counter-clockwise change to produce target-directed functional alteration of HRT hormones. As a result of this, the HRT showed an unacceptable effect. In sum, the disappointing result of HRT may be from the remodeling of hormone receptor in targeted position, especially in the cerebrovascular system in menopausal women.

Testing a hypothesis is always complex and challenging thing because of the difficulty in replicating the clinical environment, design corresponding study-protocols as well as the influence of subjective bias of researchers. For this receptor remodel-

ing theory, we could perform testing via a combination of ways including both clinical trials and basic experiments.

On the one hand, clinical trials are mainly for the test of the sensitivity of receptors to their ligands. This may be associated with the neuroendocrinological system, and hormone circadian balance. In further, multi-centered, global wide and double blinded trials are necessary to avoid β error (i.e. increase the power of the study $1-\beta$) in the study for various subjective and objective reasons.

On the other hand, basic experiments would provide adequate evidence for this hypothesis. Firstly, identifying test models similar to man is the first problem to solve. We can

use the higher mammals such as monkey and gorilla as our experimental objects; of course this should be approved by animal protection committee for research.

Secondly, the genetic alteration of receptor at and after menopause could be studied with gene microarray and plasmid transfection.

Thirdly, the binding ability of hormones to their receptors and sensitivity could be tested by in vitro cell culture and transgenic or gene knock-out cell stains. In addition to this, the co-focal microscopy and radioimmunoassay are suitable for analyzing the translocation of HRT hormones into nuclei and binding to special sites and the targeted change of receptor and hormones. To approve this study,




Figure 1: Schematic diagram of the hormone receptor remodeling in menopausal brain. If the fragile brain vessels in postmenopausal women confront a large body of gonadal hormones, the down-regulated hormone receptors resulting from the ovaries' inability to produce eggs cannot satisfy the binding requirement of hormones; and their changed sensitivity to the ligands (numbered 1); which leads to the difficulty in formation of receptor-dimer complex (numbered 2); and followed by translocation failure in hormone-receptor complex into the nucleus (numbered 3); down-stream this produce a halt in processes such as gene encoding/transcription (numbered 4) and translation (numbered 5). The aforementioned series events in cerebrovascular cells change the plasticity of sex hormones receptors, which was dubbed as "the hormone-receptor remodeling" in menopausal population, and this ultimately produce a targeted-functional alteration of hormones, which either exert function in other peripheral end-organs or lead to brain vascular accidents.

a detailed study protocol should be produced and a step-by-step procedure used. It is only by doing so that a reasonable and reliable result on whether the present hypothesis is right or not could be determined.

Any paradoxical results from different studies need to be explained, no matter what theories or models are used. For the present hypothesis on HRT in cerebrovascular diseases, if it is proved, at least in part, the benefits are significant. In addition to giving explanation to this ironic phenomenon, the more direct effects are that we can take certain steps to find useful therapeutic methods to treat it. It would be a new start point to find ways to resolve such problems as: 1) How to improve the sensitivity of HRT hormone receptors to their ligands in postmenopausal populations? 2) How to avoid the genetic alteration in these receptor-associated genes encoding? 3) Are there any blockade factors existing that interrupt the normal process of hormone's action? 4) Will the existence of this HRT remodeling theory be beneficial or not?

The administration of HRT in postmenopausal people, if the present hypothesis is proven true, would be reevaluated; its positive and negative effects better understood. If it is determined that it was wrong originally to treat these people with HRT, a more reliable treatment may be put proposed and explored.

Conclusion

There is a need for a better understanding of the role of hormones in cerebrovascular events. It is ironic that on one hand HRT provides neuroprotective effects on menopausal women after or during a stroke, but on the other hand is also something of a problem in this context.

Past knowledge should help to intelligently guide the future. No matter the results one obtains from HRT, further exploration should be processed to clarify the exact role of hormones in cerebrovascular-risk threatening the elderly. Possible answers to this question may come from extending the research, where new roles for hormones in cerebrovascular diseases are prime objectives. The remodeling of hormone receptor, a consequence of the alteration in receptor plasticity resulting from the expression, density, sensitivity and function, may give rise to a target-directed change in HRT hormones. Ultimately, we could not see what we want to see. If the present hypothesis is true, it would explain why so many different results were obtained under similar conditions, and additionally give impetus for further research into this problem with a view to finding corresponding interventional methods. ■

List of Abbreviations

AD, Alzheimer's disease; A- β , Amyloid-beta; BBB, Blood-brain barrier; HSP-27, Heat shock protein 27; hs-CRP, High sensitivity C-reactive protein; HRT, Hormone replacement therapy; iNOS, Inducible nitric oxide synthase; I/R, Ischemia/reperfusion; LPS, Lipopolysaccharide; MMP, Matrix metalloproteinases; MPA, Medroxyprogesterone acetate; MCAO Middle cerebral artery occlusion; MAPK Mitogen activated protein kinase.

Acknowledgements

This work is supported by the National Natural Scientific Foundation of China (NSFC, 30901397, 81271242); Nanjing Medical University Grant for Science & Technology Development (08NMUZ-033); Nanjing Municipal Young Scientist Grant (201208009); and Nanjing Municipal Developmental Key Grant of Medical Science (ZKX10018).

Conflict of Interests

None

References

1. Burke D, Wissel J, Donnan GA. Pathophysiology of spasticity in stroke. *Neurology* 2013; 80: S20-6.

2. Chen PH, Gao S, Wang YJ, Xu AD, Li YS, Wang D. Classifying Ischemic Stroke, from TOAST to CISS. *CNS Neurosci Ther* 2012;18: 452-6.
3. Norrving B, Kissela B. The global burden of stroke and need for a continuum of care. *Neurology* 2013;80: S5-12.
4. Della-Morte D, Guadagni F, Palmirotta R, Testa G, Caso V, Paciaroni M, Abete P, Rengo F, Ferroni P, Sacco RL, Rundek T. Genetics of ischemic stroke, stroke-related risk factors, stroke precursors and treatments. *Pharmacogenomics* 2012; 13: 595-613.
5. Yamamoto Y, Craggs L, Baumann M, Kalimo H, Kalaria RN. Review: molecular genetics and pathology of hereditary small vessel diseases of the brain. *Neuropathol Appl Neurobiol* 2011; 37: 94-113.
6. Arboleda-Velasquez JF, Manent J, Lee JH, Tikka S, Ospina C, Vanderburg CR, Frosch MP, Rodríguez-Falcón M, Villen J, Gygi S, Lopera F, Kalimo H, Moskowitz MA, Ayata C, Louvi A, Artavanis-Tsakonas S. Hypomorphic Notch 3 alleles link Notch signaling to ischemic cerebral small-vessel disease. *Proc Natl Acad Sci USA* 2011; 108: E128-35.
7. Romão EA, Lourenço CM, Júnior WM, Rolfs A, Muñoz V, Vieira Neto OM, Dantas M, Silva GE, Costa RS. What lies beneath: Fabry nephropathy in a female patient with severe cerebrovascular disease. *Clin Nephrol* 2013; 79: 330-4.
8. Parlakis SG, Phillips PC, Dimauro S, De Vivo DC, Rowland LP. Mitochondrial myopathy, encephalopathy, lactic acidosis, and stroke-like episodes: a distinctive clinical syndrome. *Ann Neurol* 1984; 16: 481-8.
9. Flanagan JM, Sheehan V, Linder H, Howard TA, Wang YD, Hoppe CC, Aygun B, Adams RJ, Neale GA, Ware RE. Genetic mapping and exome sequencing identify 2 mutations associated with stroke protection in pediatric patients with sickle cell anemia. *Blood* 2013; 121: 3237-45.
10. DiCocco JM, Fabian TC, Emmett KP, Magnotti LJ, Zarzaur BL, Khan N, Kelly JM, Croce MA. Functional outcomes following blunt cerebrovascular injury. *J Trauma Acute Care Surg* 2013; 74: 955-60.
11. Unsworth CA. Selection for rehabilitation: acute care discharge patterns for stroke and orthopaedic patients. *Int J Rehabil Res* 2001; 24: 103-14.
12. Collin C, Wade DT, Davis S, Horne V. The Barthel ADL Index: a reliability study. *Int Disabil Stud* 1988; 10: 61-3.
13. Dimyan MA, Cohen LG. Neuroplastic-

- ity in the context of motor rehabilitation after stroke. *Nat Rev Neurol* 2011; 7: 76-85.
14. Gross BA, Du R. Cerebrovascular neurosurgery 2011. *J Clin Neurosci* 2012; 19: 1344-7.
 15. Debert CT, Ide K, Poulin MJ. Effects of estrogen and progesterone on cerebrovascular responses to euoxic hypercapnia in women. *Climacteric* 2012; 15: 621-31.
 16. Sayeed I, Guo Q, Hoffman SW, Stein DG. Allopregnanolone, a progesterone metabolite, is more effective than progesterone in reducing cortical infarct volume after transient middle cerebral artery occlusion. *Ann Emerg Med* 2006; 47: 381-9.
 17. Cerrantes M, Gonzalez-Vidal MD, Ruelas R, Escobar A, Morali G. Neuroprotective effects of progesterone on damage elicited by acute global cerebral ischemia in neurons of the caudate nucleus. *Arch Med Res* 2002; 33: 6-14.
 18. Krause DN, Duckles SP, Pelligrino DA. Influence of sex steroid hormones on cerebrovascular function. *J Appl Physiol* 2006; 101: 1252-61.
 19. Gibson CL, Murphy SP. Progesterone enhances functional recovery after middle cerebral artery occlusion in male mice. *J Cereb Blood Flow Metab* 2004; 24: 805-13.
 20. Murphy SJ, Littleton-Kearney MT, Hurn PD. Progesterone administration during reperfusion, but not preischemia alone, reduces injury in ovariectomized rats. *J Cereb Blood Flow Metab* 2002; 22: 1181-8.
 21. Murphy SJ, Traystman RJ, Hurn PD. Progesterone exacerbates striatal stroke injury in progesterone-deficient female animals. *Stroke* 2000; 31: 1173-8.
 22. Burkman RT. Hormone replacement therapy. Current controversies. *Minerva Ginecol* 2003; 55: 107-16.
 23. Sitruk-Ware R. New progestagens for contraceptive use. *Hum Reprod Update* 2006; 12: 169-78.
 24. Herson PS, Koerner IP, Hurn PD. Sex, sex steroids, and brain injury. *Semin Reprod Med* 2009; 27: 229-39.
 25. Roof RL, Hall ED. Gender differences in acute CNS trauma and stroke: neuroprotective effects of estrogen and progesterone. *J Neurotrauma* 2000; 17: 367-88.
 26. Patkar S, Farr TD, Cooper E, Dowell FJ, Carswell HV. Differential vasoactive effects of oestrogen, oestrogen receptor agonists and selective oestrogen receptor modulators in rat middle cerebral artery. *Neurosci Res* 2011; 71: 78-84.
 27. Cimarosti H, Siqueira IR, Zamin LL, Nassif M, Balk R, Frozza R, Dalmaz C, Netto CA, Salbego C. Neuroprotection and protein damage prevention by estradiol replacement in rat hippocampal slices exposed to oxygen-glucose deprivation. *Neurochem Res* 2005; 30: 583-9.
 28. Sumino H, Ichikawa S, Kasama S, Kumakura H, Takayama Y, Sakamaki T, Kurabayashi M. Effect of transdermal hormone replacement therapy on carotid artery wall thickness and levels of vascular inflammatory markers in postmenopausal women. *Hypertens Res* 2005; 28: 579-84.
 29. Gordon KB, Macrae IM, Carswell HVO. Effects of 17 β -oestradiol on cerebral ischaemic damage and lipid peroxidation. *Brain Res* 2005; 1036: 155-62.
 30. Yong Y, Xie HJ, Zhang YF, Yang QD, Liao DF, Yang HL, Yan PK, Liu ZJ. 17 β -estradiol potentiates ischemia-reperfusion injury in diabetic ovariectomized female rats. *Brain Res* 2005; 1054: 192-9.
 31. Suzuki S, Brown CM, Wise PM. Neuroprotective effects of estrogens following ischemic stroke. *Front Neuroendocrinol* 2009; 30: 201-11.
 32. Stein DG. Brain damage, sex hormones and recovery: a new role for progesterone and estrogen? *Trends Neurosci* 2001; 24: 386-91.
 33. Morali G, Letechipía-Vallejo G, López-Loeza E, Montes P, Hernández-Morales L, Cervantes M. Post-ischemic administration of progesterone in rats exerts neuroprotective effects on the hippocampus. *Neurosci Lett* 2005; 382: 286-90.
 34. Gibson CL, Constantin D, Prior MJW, Bath PM, Murphy SP. Progesterone suppresses the inflammatory response and nitric oxide synthase-2 expression following cerebral ischemia. *Exp Neurol* 2005; 193: 522-30.
 35. Thomas T, Rhodin J, Clark L, Garcés A. Progestins initiate adverse events of menopausal estrogen therapy. *Climacteric* 2003; 6: 293-301.
 36. Pelligrino DA, Galea E. Estrogen and cerebrovascular physiology and pathophysiology. *Jpn J Pharmacol* 2001; 86: 137-58.
 37. Singh M, Simpkins JW, Simpkins JW, Bimonte-Nelson HA, Bimonte-Nelson HA, Brinton RD, Brinton RD. Window of opportunity for estrogen and progestin intervention in brain aging and Alzheimer's disease. *Brain Res* 2013; 1514: 1-2.
 38. Stork S, von Schacky C, Angerer P. The effect of 17 β -estradiol on endothelial and inflammatory markers in postmenopausal women: a randomized controlled trial. *Atherosclerosis* 2002; 165: 301-7.
 39. Losem-Heinrichs E, Görg B, Redecker C, Schleicher A, Witte OW, Zilles K, Bidmon HJ. 1 α ,25-Dihydroxy-vitamin D3 in combination with 17 β -estradiol lowers the cortical expression of heat shock protein-27 following experimentally induced focal cortical ischemia in rats. *Arch Biochem Biophys* 2005; 439: 70-9.
 40. Xing D, Miller A, Novak L, Schleicher A, Witte OW, Zilles K, Bidmon HJ. Estradiol and progestins differentially modulate leukocyte infiltration after vascular injury. *Circulation* 2004; 109: 234-41.
 41. Liu R, Wen Y, Perez E, Wang X, Day AL, Simpkins JW, Yang SH. 17 β -Estradiol attenuates blood-brain barrier disruption induced by cerebral ischemia-reperfusion injury in female rats. *Brain Res* 2005; 1060: 55-61.
 42. Sunday L, Tran MM, Krause DN, Duckles SP. Estrogen and progesterone differentially modulate vascular proinflammatory factors. *Am J Physiol Endocrinol Metab* 2006; 291: E261-7.
 43. Pan Y, Acharya AB, Patrick PH, Patrick PH, Oliver D, Morley JE. Effect of testosterone on functional recovery in a castrate male rat stroke model. *Brain Res* 2005; 1043: 195-204.
 44. Brass LM. Hormone replacement therapy and stroke clinical trials review. *Stroke* 2004; Suppl 1: 2644-7.
 45. Bath PMW, Gray LJ. Association between hormone replacement therapy and subsequent stroke: a meta-analysis. *Br Med J* 2005; 330: 342-5.
 46. Li C, Engstrom G, Hedblad B, Berglund G, Janzon L. Risk of stroke and hormone replacement therapy. A prospective cohort study. *Maturitas* 2006; 54: 11-8.
 47. de Lecinana MA, Egido JA, Fernandez C, Martínez-Vila E, Santos S, Morales A, Martínez E, Pareja A, Alvarez-Sabin J, Casado I; PIVE Study Investigators of the Stroke Project of the Spanish Cerebrovascular Diseases Study Group. Risk of ischemic stroke and lifetime estrogen exposure. *Neurology* 2007; 68: 33-8.
 48. Heikkinen J, Vaheri R, Timonen U. A 10-year follow-up of postmenopausal women on long-term continuous combined hormone replacement therapy: Update of safety and quality-of-life findings. *J Br Menopause Soc* 2006; 12: 115-25.
 49. Couzin J. The great estrogen conundrum. *Science* 2003; 302: 1136-8.
 50. Wickelgren I. Brain researchers try to salvage estrogen treatment. *Science* 2003; 302: 1138-9. ■